

## Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date: 04/23/2015 Version: 1.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product name : OmniAmp® RNA & DNA LAMP Kit

Product form : Mixture

Product code : 30065-1; 30065-2

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : In vitro laboratory amplification of nucleic acids

## 1.3. Details of the supplier of the safety data sheet

Lucigen Corporation 2905 Parmenter Street Middleton, WI 53562

U.S.A.

Phone: (608) 831-9011 Fax: (608) 831-9012

E-mail: techserv@lucigen.com

### 1.4. Emergency telephone number

Emergency number : 1-888-575-9695 (Lucigen: Monday-Friday, 8:00AM-5:00PM)

## **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

## **GHS-US** classification

Not classified

### 2.2. Label elements

## **GHS-US labelling**

No labelling applicable

## 2.3. Other hazards

No additional information available

## 2.4. Unknown acute toxicity (GHS-US)

No data available

## **SECTION 3: Composition/information on ingredients**

## 3.1. Substance

Not applicable

## 3.2. Mixture

l	Name	Product identifier	%
Contains no hazardous ingredients at levels requiring disclosure by the OSHA Hazard Communication Standard (29 CFR 1910.1200).		d (29 CFR	

### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

First-aid measures general : If exposed or concerned, get medical attention/advice. Show this safety data sheet to the

doctor in attendance. Wash contaminated clothing before re-use. Never give anything to an

unconscious person.

First-aid measures after inhalation : IF INHALED: Remove to fresh air and keep at rest in a comfortable position for breathing.

First-aid measures after skin contact : IF ON SKIN (or clothing): Remove affected clothing and wash all exposed skin with water for at

least 15 minutes.

First-aid measures after eye contact : IF IN EYES: Immediately flush with plenty of water for at least 15 minutes. Remove contact

lenses if present and easy to do so. Continue rinsing.

First-aid measures after ingestion : IF SWALLOWED: rinse mouth thoroughly. Do not induce vomiting without advice from poison

control center or medical professional. Get medical attention if you feel unwell.

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Not expected to present a significant acute hazard under anticipated conditions of normal use.

Symptoms/injuries after inhalation : May cause upper respiratory irratation.

Symptoms/injuries after skin contact : May cause skin irritation.

Symptoms/injuries after eye contact : Direct contact with the eyes is likely to be irritating.

Symptoms/injuries after ingestion : May cause gastrointestinal irritation.

04/23/2015 OmniAmp® RNA & DNA LAMP Kit Page 1

## Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## Indication of any immediate medical attention and special treatment needed

No additional information available

## **SECTION 5: Firefighting measures**

## **Extinguishing media**

Suitable extinguishing media : Dry powder. Foam. Sand. Water spray. Carbon dioxide.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Product is not flammable. Explosion hazard : Product is not explosive.

Reactivity : No dangerous reactions known under normal conditions of use.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Do not dispose of fire-fighting water in the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

### **SECTION 6: Accidental release measures**

### Personal precautions, protective equipment and emergency procedures

General measures Ventilate area. Evacuate area. Keep upwind. Spill should be handled by trained clean-up crews

properly equipped with respiratory equipment and full chemical protective gear (see Section 8).

6.1.1. For non-emergency personnel

Protective equipment : Wear Protective equipment as described in Section 8.

6.1.2. For emergency responders

Protective equipment : Wear suitable protective clothing, gloves and eye or face protection. For further information

refer to section 8: "Exposure controls/personal protection".

#### 6.2. **Environmental precautions**

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

#### Methods and material for containment and cleaning up 6.3.

For containment Contain any spills with dikes or absorbents to prevent migration and entry into sewers or

Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. This Methods for cleaning up

material and its container must be disposed of in a safe way, and as per local legislation.

#### 6.4. Reference to other sections

No additional information available

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Do not handle until all safety precautions have been read and understood. Wear recommended personal protective equipment. Wash hands and other exposed areas with mild soap and water

before eating, drinking or smoking and when leaving work. Keep away from sources of ignition -

No smoking.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep container tightly closed.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

## **Exposure controls**

Provide adequate general and local exhaust ventilation. Use process enclosures, local exhaust Appropriate engineering controls

ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Use explosion-proof equipment with flammable materials. Ensure adequate

2/5

ventilation, especially in confined areas.

Personal protective equipment : Gloves. Protective goggles.



04/23/2015 OmniAmp® RNA & DNA LAMP Kit

## Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hand protection : Use gloves chemically resistant to this material when prolonged or repeated contact could occur. Gloves should be classified under Standard EN 374 or ASTM F1296. Suitable gloves for this specific application can be recommended by the glove supplier. Suggested glove

> materials are: Neoprene, Nitrile/butadiene rubber, Polyethylene, Ethyl vinyl alcohol laminate, PVC or vinyl.

No data available

: No data available

: No data available

Eye protection : Use eye protection suitable to the environment. Avoid direct contact with eyes.

Skin and body protection : Wear long sleeves, and chemically impervious PPE/coveralls to minimize bodily exposure.

Respiratory protection : Use NIOSH-approved dust/particulate respirator. Where vapor, mist, or dust exceed PELs or

other applicable OELs, use NIOSH-approved respiratory protective equipment.

## **SECTION 9: Physical and chemical properties**

## Information on basic physical and chemical properties

Physical state

Color : No data available Odor : No data available Odor Threshold : No data available : No data available рΗ Relative evaporation rate (butylacetate=1) No data available No data available Melting point No data available Freezing point : No data available **Boiling point** No data available Flash point : No data available Auto-ignition temperature Decomposition temperature : No data available Flammability (solid, gas) : No data available Vapour pressure No data available Relative vapour density at 20 °C No data available Relative density : No data available Solubility : No data available Log Pow No data available : No data available Log Kow Viscosity, kinematic : No data available No data available Viscosity, dynamic

Explosive limits 9.2. Other information

No additional information available

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Explosive properties

Oxidising properties

No dangerous reactions known under normal conditions of use.

#### 10.2. Chemical stability

Stable under use and storage conditions as recommended in section 7.

#### 10.3. Possibility of hazardous reactions

None known.

#### Conditions to avoid 10.4.

None known.

#### 10.5. Incompatible materials

None known.

#### 10.6 **Hazardous decomposition products**

None known.

## **SECTION 11: Toxicological information**

#### Information on toxicological effects 11.1.

Acute toxicity : Not classified

04/23/2015 OmniAmp® RNA & DNA LAMP Kit 3/5

## Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

: Not classified Skin corrosion/irritation Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : Not classified Germ cell mutagenicity Not classified Carcinogenicity Not classified Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : Not classified

Symptoms/injuries after inhalation : May cause upper respiratory irratation.

Symptoms/injuries after skin contact : May cause skin irritation.

: Direct contact with the eyes is likely to be irritating. Symptoms/injuries after eye contact

Symptoms/injuries after ingestion : May cause gastrointestinal irritation.

## **SECTION 12: Ecological information**

#### 12.1. **Toxicity**

No additional information available

## Persistence and degradability

No additional information available

### Bioaccumulative potential

No additional information available

## Mobility in soil

No additional information available

#### 12.5. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

#### Waste treatment methods 13.1.

Waste treatment methods Obtain the consent of pollution control authorities before discharging to wastewater treatment

plants. Product should not be discharged to surface waters without a NPDES permit.

Dispose in a safe manner in accordance with local/national regulations. Avoid release to the Waste disposal recommendations

environment.

OmniAmp® RNA & DNA LAMP Kit

## **SECTION 14: Transport information**

## In accordance with DOT

Not hazardous for transport

## Additional information

Other information : No supplementary information available.

### Transport by sea

No additional information available

## Air transport

No additional information available

## **SECTION 15: Regulatory information**

### 15.1. US Federal regulations

## OmniAmp® RNA & DNA LAMP Kit

All chemical substances in this product are listed in the EPA (Environment Protection Agency) TSCA (Toxic Substances Control Act) Inventory or are exempt

## Ethylenediaminetetraacetic acid (60-00-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on United States SARA Section 313

RQ (Reportable quantity, section 304 of EPA's 5000 lb

List of Lists):

4/5

04/23/2015

## Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 15.2. International regulations

No additional information available.

## 15.3. US State regulations

### California Proposition 65

This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

## Glycerol (56-81-5)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

## **SECTION 16: Other information**

Indication of changes : Revision 1.0: New SDS Created.

Revision date : 04/23/2015 Other information : Author: RJB.


NFPA health hazard : 0 - Exposure under fire conditions would offer no hazard

beyond that of ordinary combustible materials.

NFPA fire hazard : 0 - Materials that will not burn.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions,

and are not reactive with water.



## **HMIS III Rating**

Health: 0Flammability: 0Physical: 0Personal Protection:

This information is disclosed to the best of Lucigen's knowledge. This document does not constitute a contractual relationship with product end users or handlers with respect to the possible presence of hazards in this item. Disposal should be in accordance with applicable regional, national and local laws and regulations.

04/23/2015 OmniAmp® RNA & DNA LAMP Kit 5/5